

汎 用 型 一 覧


2023年10月

三協立山株式会社 三協マテリアル社

目 次


1. 平角		P 4
2. アングル		P 6
3. 不等辺角管		P 9
4. 等辺角管		P 11
5. 丸パイプ		P 12
6. 丸棒		P 14
7. チャンネル		P 15
8. 四角棒		P 17
9. Tバー		P 18
10. 小判パイプ		P 19
11. 内フランジチャンネル		P 20
12. 外フランジチャンネル		P 21
13. H形材		P 22
14. H形材（非対称）		P 23

副 番	改 定 日	改 定 内 容
1	2009.07	型番XX 0011 単重1.09 → 1.091 (P8
2	2009.08	備考に片公差を追記、工場を更新
3	2010.07	型番XX5580(等辺角管)19*19追加
4	2015.11	型番コード→商品番号へ表記変更
5	2015.11	商品番号XX2667(丸パイプ)XX5581,XX5582,XX5583,XX5584(等辺角管)追加
6	2015.11	廃型、重複形状の削除
7	2015.11	外観ランク、R等訂正
8	2017.06	外観ランク訂正
9	2023.10	廃型の削除
10	2023.10	商品番号XX 4669,XX 4670,XX 4671,XX 4672(アングル)XX 5585(等辺角管)追加




*備考の内容に関してはお問い合わせ下さい。

商品番号	A	T	R1	R2	R3	R4	単重	材質	外観	備考
XX3503	9	6	0.3	0.3	0.3	0.3	0.146		B2	
XX3034	10	3	0.2	0.2	0.2	0.2	0.081		B2	
XX3613	10	5	0.3	0.3	0.3	0.3	0.135		B2	
XX3504	10	6	0.3	0.3	0.3	0.3	0.162		B2	
ZE0456	12	3	0.4	0.4	0.4	0.4	0.097		B2	
XX3616	12	4	0.3	0.3	0.3	0.3	0.13		B1	
XX3617	12	6	0.3	0.3	0.3	0.3	0.194		B2	
XX3727	13	9	0.3	0.3	0.3	0.3	0.316		B2	
XX3620	14	2.5	0.3	0.3	0.3	0.3	0.095		B2	
XX3690	15	2	0.3	0.3	0.3	0.3	0.081		B2	
XX3004	15	3	0.3	0.3	0.3	0.3	0.122		B2	
XX3716	15	4	0.3	0.3	0.3	0.3	0.162		B2	
XX3026	15	5	0.3	0.3	0.3	0.3	0.203		B2	
XX3517	15	6	0.3	0.3	0.3	0.3	0.243		B2	
XX3518	15	8	0.3	0.3	0.3	0.3	0.324		B2	
XX3680	15	10	0.3	0.3	0.3	0.3	0.405		B2	
XX3622	16	2.5	0.3	0.3	0.3	0.3	0.108		B2	
XX3522	16	3	0.3	0.3	0.3	0.3	0.13		B2	
XX3039	18	3	0.5	0.5	0.5	0.5	0.145		B2	
XX3675	20	2	0.3	0.3	0.3	0.3	0.108		B2	
XX3032	20	3	0.3	0.3	0.3	0.3	0.162		B2	
XX3709	20	4	0.4	0.4	0.4	0.4	0.216		B2	
XX3710	20	5	0.3	0.3	0.3	0.3	0.27		B2	
XX3623	20	6	0.3	0.3	0.3	0.3	0.324		B2	
XX3527	20	8	0.3	0.3	0.3	0.3	0.432		B2	
XX3625	20	9	0.3	0.3	0.3	0.3	0.486		B2	
XX3728	20	10	0.3	0.3	0.3	0.3	0.54		B2	
XX3528	20	15	0.3	0.3	0.3	0.3	0.81		B2	
XX3536	25	2	0.3	0.3	0.3	0.3	0.135		B2	
XX3676	25	3	0.3	0.3	0.3	0.3	0.203		B2	
XX3534	25	4	0.2	0.2	0.2	0.2	0.27		B2	
XX3535	25	5	0.3	0.3	0.3	0.3	0.338		B2	
ZE0366	25	6	0.4	0.4	0.4	0.4	0.405		B2	
XX3627	25	8	0.3	0.3	0.3	0.3	0.54		B2	
XX3628	25	10	0.3	0.3	0.3	0.3	0.675		B1	
XX3629	25	12	0.3	0.3	0.3	0.3	0.81		B2	
XX3630	25	15	0.3	0.3	0.3	0.3	1.013		B1	
XX3632	28	4	0.4	0.4	0.4	0.4	0.302		B2	
XX3685	30	2	0.3	0.3	0.3	0.3	0.162		B1	
XX3677	30	3	0.3	0.3	0.3	0.3	0.243		B2	
XX3043	30	4	0.3	0.3	0.3	0.3	0.324		B2	
XX3008	30	5	0.3	0.3	0.3	0.3	0.405		B2	
XX3044	30	6	0.3	0.3	0.3	0.3	0.486		B2	
XX3633	30	8	0.3	0.3	0.3	0.3	0.648		B2	
XX3729	30	10	0.3	0.3	0.3	0.3	0.81		B2	
XX3547	30	12	0.3	0.3	0.3	0.3	0.972		B2	
XX3541	30	15	0.3	0.3	0.3	0.3	1.215		B2	
XX3543	30	20	0.3	0.3	0.3	0.3	1.62		B2	
XX3551	32	3	0.3	0.3	0.3	0.3	0.259		B2	
XX3550	32	6	0.3	0.3	0.3	0.3	0.518		B2	
XX3715	35	3	0.3	0.3	0.3	0.3	0.284		B2	
XX3635	35	5	0.3	0.3	0.3	0.3	0.473		B2	
XX3085	40	2	0.3	0.3	0.3	0.3	0.216		A	
XX3637	40	3	0.3	0.3	0.3	0.3	0.324		B2	
ZE0475	40	4	0.4	0.4	0.4	0.4	0.432		B2	




*備考の内容に関してはお問い合わせ下さい。

商品番号	A	T	R1	R2	R3	R4	単重	材質	外観	備考
XX3027	40	5	0.3	0.3	0.3	0.3	0.54		B2	
XX3640	40	6	0.3	0.3	0.3	0.3	0.648		B2	
XX3641	40	8	0.3	0.3	0.3	0.3	0.864		B2	
XX3674	40	10	0.3	0.3	0.3	0.3	1.094		B2	
XX3643	40	15	0.3	0.3	0.3	0.3	1.62		B2	
XX3644	40	20	0.3	0.3	0.3	0.3	2.16		B1	
XX3647	41	1.5	0.3	0.3	0.3	0.3	0.166		B2	
XX3648	45	10	1	1	1	1	1.196		B2	
XX3649	46	2.5	0.5	0.5	0.5	0.5	0.31		ノーマル	
XX3577	50	2	0.3	0.3	0.3	0.3	0.27		B2	
XX3029	50	3	0.3	0.3	0.3	0.3	0.405		B1	
TR0124	50	4	0.4	0.4	0.4	0.4	0.54		B2	
XX3009	50	5	0.3	0.3	0.3	0.3	0.675		B2	
XX3010	50	6	0.3	0.3	0.3	0.3	0.81		B2	
XX3575	50	8	0.3	0.3	0.3	0.3	1.08		B2	
XX3730	50	10	0.3	0.3	0.3	0.3	1.35		B2	
XX3574	50	15	0.3	0.3	0.3	0.3	2.025		B2	
XX3654	50	20	0.3	0.3	0.3	0.3	2.7		B1	
XX3581	54	10	0.3	0.3	0.3	0.3	1.458		B2	
XX3582	56	3	0.3	0.3	0.3	0.3	0.454		B2	
XX3656	60	2	0.4	0.4	0.4	0.4	0.324		B2	
XX3611	60	3	0.4	0.4	0.4	0.4	0.486		B2	
XX3657	60	4	0.3	0.3	0.3	0.3	0.648		B2	
XX3012	60	5	0.3	0.3	0.3	0.3	0.81		B2	
XX3724	60	6	0.3	0.3	0.3	0.3	0.972		B2	
XX3585	60	8	0.3	0.3	0.3	0.3	1.296		B2	
XX3030	60	10	0.5	0.5	0.5	0.5	1.619		B2	
XX3586	60	15	0.3	0.3	0.3	0.3	2.43		B2	
XX3658	62	3	0.3	0.3	0.3	0.3	0.502		B2	
XX3592	65	6	0.3	0.3	0.3	0.3	1.053		B2	
XX3591	65	10	0.3	0.3	0.3	0.3	1.755		B2	
XX3014	70	2	1	1	1	1	0.376		B2	
XX3661	70	4	0.3	0.3	0.3	0.3	0.756		B2	
XX3597	70	10	0.3	0.3	0.3	0.3	1.89		B2	
XX3082	75	2	0.3	0.3	0.3	0.3	0.405		B2	
XX3048	75	4	0.3	0.3	0.3	0.3	0.81		C	
ZE0331	75	6	0.4	0.4	0.4	0.4	1.215		B2	
XX3598	75	10	0.3	0.3	0.3	0.3	2.025		B2	
XX3016	80	2	1	1	1	1	0.43		B2	
XX3663	85	3	0.3	0.3	0.3	0.3	0.689		B2	
XX3052	90	3	0.3	0.3	0.3	0.3	0.729		B2	
XX3604	90	5	0.3	0.3	0.3	0.3	1.215		B2	
XX3606	100	3	0.3	0.3	0.3	0.3	0.81		B2	
XX3607	100	5	0.3	0.3	0.3	0.3	1.35		B2	
ZE0477	100	6	0.4	0.4	0.4	0.4	1.62		B2	
XX3605	100	8	0.3	0.3	0.3	0.3	2.16		B2	
ZE0337	100	10	0.3	0.3	0.3	0.3	2.7		B2	
XX3058	103	3	0.3	0.3	0.3	0.3	0.834		B	
XX3669	110	4	0.3	0.3	0.3	0.3	1.188		B2	
XX3608	110	6	0.3	0.3	0.3	0.3	1.782		B2	
XX3670	123	3	0.3	0.3	0.3	0.3	0.996		B2	
XX3671	135	6	0.3	0.3	0.3	0.3	2.187		B2	
XX3064	151	3	0.3	0.3	0.3	0.3	1.223		B1	
XX3672	188	3	0.3	0.3	0.3	0.3	1.523		ノーマル	




*備考の内容に関してはお問い合わせ下さい。


商品番号	A	B	T1	T2	R1	R2	R3	R4	R5	R6	単重	材質	外観	備考
XX4556	12	8	1.5	1.5	0.3	0.3	0.3	0.3	0.3	0.3	0.075		B2	
XX4502	12	12	1.2	1.2	0.3	0.3	0.3	0.3	0.3	0.3	0.074		B2	
XX4667	15	10	1.5	1.5	0.3	0.3	0.3	0.3	0.3	0.3	0.095		B2	
XX1009	15	10	2	2	0.3	0.3	0.3	0.3	0.3	0.3	0.124		ノーマーク	
XX1003	15	12	1.8	1.8	0.3	0.3	0.3	0.3	0.3	0.3	0.122		B2	
ZE0479	15	15	1	1	0.4	0.4	0.4	0.4	0.4	0.4	0.078		B2	
XX4637	15	15	1.5	1.5	0.3	0.3	0.3	0.3	0.3	0.3	0.115		B2	
ZE0483	15	15	2	2	0.4	0.4	0.4	0.4	0.4	0.4	0.151		B2	
XX4505	15	15	3	3	0.3	0.3	0.3	0.3	0.3	0.3	0.219		B2	
XX4560	18	15	1.8	1.8	0.3	0.3	0.3	0.3	0.3	0.3	0.152		B1	
XX4508	19	19	0.8	0.8	0.3	0.3	0.3	0.3	0.3	0.3	0.08		B2	
XX1053	19	19	1.2	1.2	0.3	0.3	0.3	0.3	0.3	0.3	0.119		B2	
ZE0482	19	19	1.5	1.5	0.4	0.4	0.4	0.4	0.4	0.4	0.148		B2	
XX1005	20	8	2	1.5	0.3	0.3	0.3	0.5	0.3	0.3	0.132		B2	
XX1061	20	10	1.5	1.5	0.3	0.3	0.3	0.3	0.3	0.3	0.115		B2	
XX1012	20	12	2	2	0.3	0.3	0.3	0.3	0.3	0.3	0.162		B2	
XX4563	20	15	1.5	1.5	0.3	0.3	0.3	0.3	0.3	0.3	0.136		B2	
XX4565	20	15	1.8	1.8	0.3	0.3	0.3	0.3	0.3	0.3	0.161		B2	
ZE0284	20	15	2	2	0.4	0.4	0.4	0.4	0.4	0.4	0.178		B2	
XX4567	20	20	1.2	1.2	0.4	0.4	0.4	0.4	0.4	0.4	0.127		B2	
XX4665	20	20	1.5	1.5	1.5	0.75	0.3	0.3	0.3	0.75	0.157		B2	
XX4568	20	20	2	2	0.3	0.3	0.3	0.3	0.3	0.3	0.205		B2	
XX4627	20	20	3	3	0.4	0.4	0.4	0.4	0.4	0.4	0.3		B2	
XX4000	22	22	2	2	0.3	0.3	0.3	0.3	0.3	0.3	0.227		B2	
XX1027	25	8	1.5	1.5	0.3	0.3	0.3	0.3	0.3	0.3	0.127		B2	
XX1515	25	10	1.5	1.5	0.3	0.3	0.3	0.3	0.3	0.3	0.136		B2	
XX1063	25	15	1.5	1.5	0.3	0.3	0.3	0.3	0.3	0.3	0.156		B2	
XX1516	25	15	2	2	0.3	0.3	0.3	0.3	0.3	0.3	0.205		B2	
XX4669	25	25	1.2	1.2	0.2	0.2	0.2	0.2	0.2	0.2	0.158		B2	
XX1518	25	16	1.2	1.2	0.3	0.3	0.3	0.3	0.3	0.3	0.129		A	
XX4552	25	25	0.8	0.8	0.3	0.3	0.3	0.3	0.3	0.3	0.106		B2	
ZE0481	25	25	1	1	0.4	0.4	0.4	0.4	0.4	0.4	0.132		B2	
XX4032	25	25	1.5	1.5	0.3	0.3	0.3	0.3	0.3	0.3	0.196		B2	
XX4517	25	25	1.9	1.9	0.3	0.3	0.3	0.3	0.3	0.3	0.247		B2	
XX4550	25	25	2	2	0.3	0.3	0.3	0.3	0.3	0.3	0.259		B2	
ZE0841	25	25	2.5	2.5	0.4	0.4	0.4	0.4	0.4	0.4	0.321		B2	
XX1577	25	25	3	3	0.3	0.3	0.3	0.3	0.3	0.3	0.381		B2	
XX4573	25	25	4	4	4	2	0.3	0.3	0.3	2	0.501		B2	
XX1032	30	8	1.5	1.5	0.3	0.3	0.3	0.3	0.3	0.3	0.148		ノーマーク	
XX1522	30	9	1.5	1.5	0.3	0.3	0.3	0.3	0.3	0.3	0.152		B2	
XX1523	30	10	1.5	1.5	0.3	0.3	0.3	0.3	0.3	0.3	0.156		B2	
DA2582	30	12	2	2	0.4	0.4	0.4	0.4	0.4	0.4	0.216		B2	
XX4576	30	13	2	2	0.3	0.3	0.3	0.3	0.3	0.3	0.221		B2	
XX1064	30	15	1.5	1.5	0.3	0.3	0.3	0.3	0.3	0.3	0.176		B2	
XX1526	30	15	2	2	0.3	0.3	0.3	0.3	0.3	0.3	0.232		B2	
XX4660	30	18	2	2	0.3	0.3	0.3	0.3	0.3	0.3	0.248		B2	
XX1077	30	20	1.5	1.5	0.3	0.3	0.3	0.3	0.3	0.3	0.196		B2	
XX1527	30	20	2	2	0.3	0.3	0.3	0.3	0.3	0.3	0.259		B2	
TR0181	30	20	3	3	0.4	0.4	0.4	0.4	0.4	0.4	0.381		B2	
XX1532	30	25	3	3	0.2	0.4	0.4	0.4	0.4	0.4	0.421		A	
XX4551	30	30	0.8	0.8	0.3	0.3	0.3	0.3	0.3	0.3	0.128		B2	
XX4014	30	30	1	1	0.3	0.3	0.3	0.3	0.3	0.3	0.159		ノーマーク	
XX4011	30	30	1.2	1.2	0.3	0.3	0.3	0.3	0.3	0.3	0.191		B2	
XX4033	30	30	1.5	1.5	0.3	0.3	0.3	0.3	0.3	0.3	0.237		B2	



*備考の内容に関してはお問い合わせ下さい。


商品番号	A	B	T1	T2	R1	R2	R3	R4	R5	R6	単重	材質	外観	備考
XX4013	30	30	2	2	0.3	0.3	0.3	0.3	0.3	0.3	0.313		B2	
XX4002	30	30	3	3	0.3	0.3	0.3	0.3	0.3	0.3	0.462		B2	
XX4522	30	30	4	4	0.3	0.3	0.3	0.3	0.3	0.3	0.605		B2	
XX4581	30	30	5	5	5	2.5	0.3	0.3	0.3	2.5	0.75		B2	
XX1533	35	9	3	3	0.3	0.3	0.3	0.3	0.3	0.3	0.332		B2	
XX1002	35	15	1.5	1.5	0.3	0.3	0.3	0.3	0.3	0.3	0.197		B2	
XX1534	35	15	2	2	0.3	0.3	0.3	0.3	0.3	0.3	0.259		B2	
XX1535	35	20	2	2	0.3	0.3	0.3	0.3	0.3	0.3	0.286		B2	
XX4005	35	35	2	2	0.3	0.3	0.3	0.3	0.3	0.3	0.367		B2	
TR0142	35	35	3	3	3	1.5	0.4	0.4	0.4	1.5	0.545		B2	
XX4584	35	35	4	4	4	2	0.3	0.3	0.3	2	0.717		B2	
XX1037	37	20	1.5	1.5	0.3	0.3	0.3	0.3	0.3	0.3	0.225		B2	
XX1039	37	30	1.5	1.5	0.3	0.3	0.3	0.3	0.3	0.3	0.265		B	
XX4526	38	38	1.2	1.2	0.3	0.3	0.3	0.3	0.3	0.3	0.242		B2	
XX1540	40	10	1.5	1.5	0.3	0.3	0.3	0.3	0.3	0.3	0.197		B2	
XX1539	40	10	3	3	0.3	0.3	0.3	0.3	0.3	0.3	0.381		B2	
XX1041	40	14	3	3	1	0.3	0.3	4	0.3	0.3	0.404		ノーマーク	
XX1541	40	15	2	2	0.3	0.3	0.3	0.3	0.3	0.3	0.286		B2	
XX1006	40	20	1.5	1.5	0.5	0.3	0.3	0.3	0.3	0.3	0.237		B2	
XX1076	40	20	2	2	0.3	0.3	0.3	0.3	0.3	0.3	0.313		B2	
MP0580	40	20	3	3	0.3	0.3	0.3	0.3	0.3	0.3	0.462		ノーマーク	
XX1042	40	20	4	4	0.3	0.3	0.3	0.3	0.3	0.3	0.605		ノーマーク	
XX4586	40	25	4	4	4	2	0.3	0.3	0.3	2	0.664		B1	
XX1065	40	30	2	2	0.3	0.3	0.3	0.3	0.3	0.3	0.367		B2	
XX1021	40	30	2.5	2.5	0.3	0.3	0.3	0.3	0.3	0.3	0.456		B2	
XX4587	40	30	3	3	0.3	0.3	0.3	0.3	0.3	0.3	0.543		ノーマーク	
ZE0837	40	30	4	4	0.5	4	0.4	0.5	0.4	4	0.694		B2	
XX4530	40	40	2	2	0.3	0.3	0.3	0.3	0.3	0.3	0.421		B2	
XX1573	40	40	3	3	0.3	0.3	0.3	0.3	0.3	0.3	0.624		B2	
XX4659	40	40	4	4	0.3	0.3	0.3	0.3	0.3	0.3	0.821		B2	
XX4592	40	40	5	5	0.3	2.5	0.5	0.5	0.5	2.5	1.005		B2	
XX4593	40	40	6	6	6	3	0.3	0.3	0.3	3	1.209		B2	
TR0867	50	13	3	3	0.4	0.4	0.4	0.4	0.4	0.4	0.486		B2	
XX4655	50	20	2	2	0.3	0.3	0.3	0.3	0.3	0.3	0.367		B2	
XX4595	50	25	1.2	1.2	0.3	0.3	0.3	0.3	0.3	0.3	0.239		B2	
XX1066	50	25	2	2	0.3	0.3	0.3	0.3	0.3	0.3	0.394		B2	
XX1550	50	25	3	3	0.3	0.3	0.3	0.3	0.3	0.3	0.583		B2	
XX4597	50	30	3	3	0.3	0.3	0.3	0.3	0.3	0.3	0.624		B2	
TR0374	50	30	4	4	0.4	0.4	0.4	0.4	0.4	0.4	0.821		B2	
XX1552	50	35	4	4	0.3	0.3	0.3	0.3	0.3	0.3	0.875		B2	
XX4599	50	40	5	5	5	2.5	0.2	0.2	0.2	2.5	1.155		B2	
XX4534	50	50	1.3	1.3	0.3	0.3	0.3	0.3	0.3	0.3	0.348		B2	
XX4670	50	50	1.5	1.5	0.2	0.2	0.2	0.2	0.2	0.2	0.399		B2	
XX4672	50	50	2	2	0.2	0.2	0.2	0.2	0.2	0.2	0.529		B2	
XX4671	50	50	3	3	0.2	0.2	0.2	0.2	0.2	0.2	0.197		B2	
TR0866	50	50	3	3	0.4	0.4	0.4	0.4	0.4	0.4	0.786		B2	
XX4601	50	50	4	4	4	2	0.3	0.3	0.3	2	1.041		B1	
TR0151	50	50	5	5	5	2.5	0.4	0.4	0.4	2.5	1.29		B2	
XX4603	50	50	6	6	6	3	0.4	0.4	0.4	3	1.533		B2	公差53±0.6
XX1554	53	6	2	2	0.3	0.3	0.3	0.3	0.3	0.3	0.308		B2	
XX1054	55	55	2	2	0.3	0.3	0.3	0.3	0.3	0.3	0.583		B2	
XX4606	60	15	1.8	1.8	0.3	0.9	0.9	1	0.9	0.9	0.353		B2	
XX4607	60	40	5	5	0.3	2.5	0.5	0.5	0.5	2.5	1.275		B2	
XX4608	60	45	5	5	0.3	2.5	0.3	0.3	0.3	2.5	1.343		B2	


P8



*備考の内容に関してはお問い合わせ下さい。


商品番号	A	B	T1	T2	R1	R2	R3	R4	単重	材質	外観	備考
XX0073	14	10	0.7	0.7	0.3	0.3	0.3	0.3	0.085		B1	
XX0068	15	10	0.8	0.8	0.5	0.5	0.3	0.3	0.1		B1	
XX0041	15	10	1.2	1.2	0.3	0.3	0.3	0.3	0.146		B2	
XX0043	18	12	1.2	1.2	0.3	0.3	0.3	0.3	0.179		B2	
XX0050	20	15	1.5	1.5	0.3	0.3	0.3	0.3	0.259		B2	
XX0057	20	15	1.5	1.5	2	2	1	1	0.252		B1	
XX0027	25	10	1.5	1.5	0.3	0.3	0.3	0.3	0.259		B1	
XX0562	25	12	1.2	1.2	1	1	0.3	0.3	0.222		B2	
XX0586	25	15	1.5	1.5	0.3	0.3	0.3	0.3	0.3		B1	
XX0013	25	15	1.8	1.8	0.3	0.3	0.3	0.3	0.354		B	
XX0505	25	20	2	2	0.3	0.3	0.3	0.3	0.443		B2	
XX0077	30	9	1	1	1	1	0.3	0.3	0.197		B2	
TF5537	30	10	1.2	1.2	0.4	0.4	0.4	0.4	0.244		B1	
XX0042	30	10	1.5	1.5	0.3	0.3	0.3	0.3	0.3		B2	
XX0598	30	10	2	2	0.3	0.3	0.3	0.3	0.389		B2	
XX0052	30	15	1.5	1.5	0.3	0.3	0.3	0.3	0.34		B2	
XX0014	30	15	1.8	1.8	0.3	0.3	0.3	0.3	0.402		B1	
XX0508	30	15	2	2	0.3	0.3	0.3	0.3	0.443		B2	
XX0612	30	20	1.5	1.5	0.3	0.3	0.3	0.3	0.381		B2	
XX0007	30	20	1.8	1.8	0.3	0.3	0.3	0.3	0.451		B1	
XX0564	30	20	2	2	0.3	0.3	0.3	0.3	0.497		B2	
XX0510	30	25	3.5	3.5	0.3	0.3	0.3	0.3	0.907		B1	
XX0565	35	23.5	2	2	0.3	0.3	0.3	0.3	0.589		B2	
XX0566	35	27.5	2	2	0.3	0.3	0.3	0.3	0.632		B2	
XX0006	35	30	1.5	1.5	1	1	1	1	0.502		B1	
XX0029	40	10	2	2	0.3	0.3	0.3	0.3	0.497		B1	
XX0001	40	15	2	2	0.3	0.3	0.3	0.3	0.551		B1	
XX0587	40	20	1.5	1.5	0.3	0.3	0.3	0.3	0.462		B2	
XX0015	40	20	1.8	1.8	0.3	0.3	0.3	0.3	0.548		B2	
XX0585	40	20	2	2	0.3	0.3	0.3	0.3	0.605		B1	
XX0567	40	20	2.5	2.5	0.3	0.3	0.3	0.3	0.743		B2	
XX0568	40	23	2.5	2.5	0.3	0.3	0.3	0.3	0.783		B2	
XX0592	40	25	2	2	0.3	0.3	0.3	0.3	0.659		B2	
XX0613	40	30	1.5	1.5	0.3	0.3	0.3	0.3	0.543		B2	
XX 0521	40	30	2	2	0.4	0.4	0.4	0.4	0.713		B2	
XX0522	45	20	1.5	1.5	0.3	0.3	0.3	0.3	0.502		B2	
XX0076	50	25	1.2	1.2	0.3	0.3	0.3	0.3	0.47		B1	
XX0571	50	25	1.5	1.5	0.3	0.3	0.3	0.3	0.583		B2	
XX0588	50	25	2	2	0.3	0.3	0.3	0.3	0.767		B1	
XX0525	50	30	1.8	1.8	0.3	0.3	0.3	0.3	0.743		B2	
XX0526	50	30	2	2	0.3	0.3	0.3	0.3	0.821		B2	
XX0572	50	35	3	3	0.3	0.3	0.3	0.3	1.28		B2	
XX0573	60	20	1.5	1.5	0.4	0.4	0.4	0.4	0.624		B1	
XX0589	60	25	2	2	0.3	0.3	0.3	0.3	0.875		B1	
XX0016	60	30	1.8	1.8	0.3	0.3	0.3	0.3	0.84		B1	
XX0590	60	30	2	2	0.4	0.4	0.4	0.4	0.929		B1	
XX5532	60	30	2.5	2.5	0.3	0.3	0.3	0.3	1.148		B2	
XX0600	60	40	2	2	0.3	0.3	0.3	0.3	1.037		B1	
XX0531	60	40	2.5	2.5	0.3	0.3	0.3	0.3	1.283		B2	
ZE0499	60	40	3	3	0.4	0.4	0.4	0.4	1.523		B2	
XX0576	60	50	1.5	1.5	0.4	0.4	0.4	0.4	0.867		B1	

P10




*備考の内容に関してはお問い合わせ下さい。


商品番号	A	T	R1	R2	単重	材質	外観	備考
XX5501	9	1.2	0.3	0.3	0.101		B1	
XX5502	10	1	0.3	0.3	0.097		B1	
XX5527	10	1.1	0.5	0.3	0.105		B2	
XX5577	12	1.2	0.3	0.3	0.14		B2	
XX5503	15	1.2	0.3	0.3	0.179		B2	
XX5546	15	1.5	0.3	0.3	0.219		B1	
XX5504	16	1	0.3	0.3	0.162		B2	
XX5505	17	1.5	0.3	0.3	0.251		B1	
XX5580	19	1.2	0.3	0.5	0.231		B2	
XX5507	19	1.5	0.3	0.3	0.284		B2	
XX5031	20	1.5	0.3	0.3	0.3		B1	
XX5556	20	2	0.3	0.3	0.389		B2	
XX5550	25	1.5	0.3	0.3	0.381		B2	
XX5012	25	2	0.3	0.3	0.497		B1	
XX5528	25	2	2	2	0.497		B2	
XX5578	28	2.2	2.5	2	0.608		B2	
XX5044	30	1.1	0.3	0.3	0.343		B1	
XX5531	30	1.2	0.5	0.3	0.373		B2	
XX5032	30	1.5	0.3	0.3	0.462		B1	
XX5005	30	2	0.3	0.3	0.605		B1	
XX5573	30	3	0.4	0.4	0.875		B1	
XX5514	35	2	0.3	0.3	0.713		B2	
XX5534	40	1.5	1	0.5	0.622		B2	
XX5558	40	2	0.3	0.3	0.821		B1	
XX5535	40	2.5	0.3	0.3	1.013		B2	
XX5517	40	3	0.3	0.3	1.199		B2	
XX5033	45	2	0.3	0.3	0.929		B1	
XX5006	50	2	0.3	0.3	1.037		B1	
ZE0493	50	2.5	0.4	0.4	1.283		B2	
XX5575	50	3	0.3	0.3	1.523		B2	
XX5004	60	1.2	1.5	0.3	0.757		B1	
XX5045	60	1.5	1.5	0.3	0.943		B1	
XX5553	60	2	0.3	0.3	1.253		B2	
XX5540	60	2.5	0.3	0.3	1.553		B2	
XX5015	60	3	1	1	1.847		B1	
XX5034	65	2	0.3	0.3	1.361		B1	
XX5523	70	2	0.3	0.3	1.469		B2	
XX5554	75	2	0.3	0.3	1.577		B2	
XX5008	75	2	1	0.3	1.574		B1	
XX5524	75	2.5	0.3	0.3	1.958		B2	
XX5576	75	5	0.3	0.3	3.78		B2	
XX5525	80	2	0.3	0.3	1.685		B1	
XX5526	80	2.5	0.3	0.3	2.093		B2	
XX5545	90	2.5	0.3	0.3	2.363		ノーマーク	
XX5555	100	2	0.3	0.3	2.117		B2	
XX5040	100	2.7	3	0.3	2.816		B1	
XX5035	100	3	0.3	0.3	3.143		B1	
XX5584	100	6	5	1	6.036		C	
XX5582	100	10	5	0.3	9.662		C	
XX5019	110	2	2	1	2.326		B1	
XX5581	150	3	0.3	0.3	4.763		B1	
XX5583	150	9	4	0.3	13.67		C	
XX5585	200	10	2	2	20.52		B2	




*備考の内容に関してはお問い合わせ下さい。


商品番号	OD	ID	T	単重	材質	外観	備考
XX2602	10	8	1	0.076		B2	
XX2603	12	10	1	0.093		B2	
XX2506	13	10	1.5	0.146		B2	
XX2605	14	11	1.5	0.159		B2	
XX2606	14	12	1	0.11		B2	
XX2512	16	5	5.5	0.49		B2	
ZE0511	16	13.6	1.2	0.151		B2	
XX2048	16	14	1	0.127		B2	
XX2664	18	14	2	0.271		B1	
XX2022	18	15.6	1.2	0.171		ノーマル	
XX2644	18	16	1	0.144		B2	
XX2611	19	15	2	0.289		B2	
XX2639	19	16	1.5	0.223		B2	
XX2636	19	16.6	1.2	0.181		B2	
XX2514	19	17	1	0.153		B2	
XX2521	20	14	3	0.433		B2	
XX2062	20	15	2.5	0.371		B1	
XX2519	20	16	2	0.305		B2	
XX2049	20	18	1	0.161		B1	
ZA9999	21	19	1	0.17		B2	
XX2613	22	18	2	0.34		B2	
XX2025	22	20	1	0.178		B2	
XX2532	25	19	3	0.56		B2	
XX2531	25	20	2.5	0.478		C	
XX2016	25	21	2	0.39		B1	
XX2037	25	21.6	1.7	0.336		B1	
XX2529	25	22	1.5	0.299		B2	
XX2527	25	22.6	1.2	0.242		C	
XX2641	25	23	1	0.203		B2	
XX2534	28	24	2	0.443		B2	
XX2043	28	26	1	0.229		B2	
XX2542	30	23	3.5	0.788		B2	
XX2540	30	25	2.5	0.583		B2	
XX2023	30	26	2	0.475		B1	
XX2653	30	27	1.5	0.363		B1	
XX2618	30	27.6	1.2	0.293		B2	
XX2538	30	28	1	0.246		B2	
XX2066	31	29	1	0.254		B1	
XX2638	32	26	3	0.738		B2	
XX2543	32	28	2	0.51		B2	
XX2546	34	30	2	0.556		B2	
XX2061	34	31.6	1.2	0.334		B1	
XX2553	35	28	3.5	0.935		B2	
XX2552	35	29	3	0.815		B2	
XX2551	35	31	2	0.56		B2	
XX2556	38	34	2	0.61		B2	
XX2619	38	35	1.5	0.464		B2	
XX2563	40	28	6	1.787		B2	
XX2621	40	34	3	0.942		B2	


丸パイプ


丸棒



商品番号	A	B	T1	T2	R1	R2	R3	R4	単重	材質	外観	備考
XX7514	7.5	25	1	1	0.3	0.3	0.3	0.3	0.15		B2	
XX7529	8.5	10	1	1	0.3	0.3	0.3	0.3	0.072		B2	
XX7515	8.5	20	1.5	1.5	0.3	0.3	0.3	0.3	0.184		B2	
XX7502	10	10	1	1	0.3	0.3	0.3	0.3	0.076		B2	
ZE0488	10	10	1.6	1.6	0.4	0.4	0.4	0.4	0.116		B2	
XX7565	10	15	1	1	0.3	0.5	0.3	0.3	0.103		B2	
XX7517	10	15	1.2	1.2	0.3	0.3	0.3	0.3	0.122		B2	
ZE0486	10	15	1.5	1.5	0.4	0.4	0.4	0.4	0.15		B2	
XX7527	12	10	1	1	0.3	0.3	0.3	0.3	0.081		B2	
XX7609	12	12	2	2	0.3	0.3	0.3	0.3	0.173		B2	
XX7504	13	13	1	1	0.3	0.3	0.3	0.3	0.1		B2	
XX7513	14	10	1	1	0.3	0.3	0.3	0.3	0.086		B2	
XX7520	14	11	1	1	0.3	0.3	0.3	0.3	0.092		B2	
XX7613	15	15	2	2	0.3	0.3	0.3	0.3	0.221		B2	
XX7522	15	20	1	1	0.3	0.3	0.3	0.3	0.143		C	
XX7501	15	24	1.5	1.5	0.3	0.3	0.3	0.3	0.243		B2	
XX7526	18	10	2	2	0.3	0.3	0.3	0.3	0.184		B2	
XX7005	18	12	1	1	0.3	0.3	0.3	0.3	0.108		B2	
XX7001	18	13	2	1.5	0.3	0.3	0.3	0.3	0.186		B2	
XX7530	20	5.2	1.5	1.2	0.3	0.3	0.3	0.3	0.105		B2	
XX7618	20	20	2	2	0.3	0.3	0.3	0.3	0.302		B2	
XX7608	22	12	2	2	0.3	0.3	0.3	0.3	0.227		B2	
XX7519	22	13	1	1	0.3	0.3	0.3	0.3	0.124		B2	
XX7505	24	10	1.5	1.5	0.3	0.3	0.3	0.3	0.166		B2	
XX7588	25	15	1.2	1.2	0.4	0.4	0.4	0.4	0.17		B1	
XX7535	25	15	2	2	0.3	0.3	0.3	0.3	0.275		B2	
XX7030	25	25	2	2	0.3	0.3	0.3	0.3	0.383		B2	
XX7591	28	28	2	2	0.3	0.3	0.3	0.3	0.432		B2	
XX7538	30	10	2	2	0.3	0.3	0.3	0.3	0.248		B2	
XX7614	30	15	2	2	0.3	0.3	0.3	0.3	0.302		B2	
XX7011	30	30	2	2	1	1	1	1	0.462		B1	
XX7509	30	30	2.4	2.4	0.3	0.3	0.3	0.3	0.552		B2	
XX7531	35	20	2	2	0.3	0.3	0.3	0.3	0.383		B2	
XX7542	35	20	2.4	2.4	0.3	0.3	0.3	0.3	0.456		B2	
XX7012	35	30	2	2	1	1	1	1	0.489		B	
XX7503	38	20	1.9	1.9	0.3	0.3	0.3	0.3	0.381		B2	
ZE0487	40	20	1.5	1.5	0.3	0.3	0.3	0.3	0.312		B2	
XX7051	40	20	1.8	1.8	0.3	0.3	0.3	0.3	0.371		B2	
XX7004	40	20	2	2	0.3	0.3	0.3	0.3	0.41		B2	
XX7545	40	20	3	3	0.3	0.3	0.3	0.3	0.599		B2	
XX7013	40	60	6	6	1	0.5	0.5	0.5	2.398		B2	
XX7580	43	20	1.5	1.5	0.3	0.3	1	0.3	0.324		B2	
XX7547	45	8	3	6	0.3	0.3	0.3	0.3	0.527		B2	
XX7018	50	15	2	2	0.3	0.3	0.3	0.3	0.41		B2	
XX7550	50	20	1	1	0.3	0.3	0.3	0.3	0.238		B2	
XX7017	50	20	2	2	0.4	0.4	0.4	0.4	0.464		B2	
ZE0491	50	25	3	3	0.4	0.4	0.4	0.4	0.761		B2	
XX7603	50	30	3	3	3	1.5	0.3	0.3	0.85		B2	
XX7604	51	25	2	2	0.3	0.3	0.3	0.3	0.524		B2	
XX7040	51	70	3	3	0.3	0.3	0.3	0.3	1.499		B2	
XX7623	60	30	3	3	0.3	0.3	0.3	0.3	0.923		B2	
XX7605	60	30	4	4	4	2	0.4	0.4	1.224		B2	
XX7003	70	20	1.5	1.5	1	0.3	0.3	0.3	0.434		B2	
XX7560	75	40	3.2	3.2	0.3	0.3	0.3	0.3	1.285		B2	







[illegible]

