

汎 用 型 一 覧


2025年5月

三協立山株式会社 三協マテリアル社

目 次


1. 平角		P 4
2. アングル		P 6
3. 不等辺角管		P 9
4. 等辺角管		P 11
5. 丸パイプ		P 12
6. 丸棒		P 14
7. チャンネル		P 15
8. 四角棒		P 17
9. Tバー		P 18
10. 小判パイプ		P 19
11. 内フランジチャンネル		P 20
12. 外フランジチャンネル		P 21
13. H形材		P 22
14. H形材（非対称）		P 23

副 番	改 定 日	改 定 内 容
1	2009.07	型番XX 0011 単重1.09 → 1.091 (P8
2	2009.08	備考に片公差を追記、工場を更新
3	2010.07	型番XX5580(等辺角管)19*19追加
4	2015.11	型番コード→商品番号へ表記変更
5	2015.11	商品番号XX2667(丸パイプ)XX5581,XX5582,XX5583,XX5584(等辺角管)追加
6	2015.11	廃型、重複形状の削除
7	2015.11	外観ランク、R等訂正
8	2017.06	外観ランク訂正
9	2023.10	廃型の削除
10	2023.10	商品番号XX 4669,XX 4670,XX 4671,XX 4672(アングル)XX 5585(等辺角管)追加
11	2024.09	商品番号XX8601、XX8602,XX4671単重修正
12	2025.05	全リストの暫廃、廃型確認、XX0623追加




*備考の内容に関してはお問い合わせ下さい。

商品番号	A	T	R1	R2	R3	R4	単重	材質	外観	備考
XX 3503	9	6	0.3	0.3	0.3	0.3	0.146		B2	
XX 3034	10	3	0.2	0.2	0.2	0.2	0.081		B2	
XX 3506	10	4	0.3	0.3	0.3	0.3	0.108		B2	
XX 3613	10	5	0.3	0.3	0.3	0.3	0.135		B2	
XX 3504	10	6	0.3	0.3	0.3	0.3	0.162		B2	
XX 3720	10	6	0.3	0.3	0.3	0.3	0.162		B2	
ZE 0456	12	3	0.4	0.4	0.4	0.4	0.097		B2	
XX 3616	12	4	0.3	0.3	0.3	0.3	0.13		B1	
XX 3617	12	6	0.3	0.3	0.3	0.3	0.194		B2	
XX 3727	13	9	0.3	0.3	0.3	0.3	0.316		B2	
XX 3620	14	2.5	0.3	0.3	0.3	0.3	0.095		B2	
XX 3690	15	2	0.3	0.3	0.3	0.3	0.081		B2	
XX 3004	15	3	0.3	0.3	0.3	0.3	0.122		B2	
XX 3716	15	4	0.3	0.3	0.3	0.3	0.162		B2	
XX 3026	15	5	0.3	0.3	0.3	0.3	0.203		B2	
XX 3517	15	6	0.3	0.3	0.3	0.3	0.243		B2	
XX 3518	15	8	0.3	0.3	0.3	0.3	0.324		B2	
XX 3680	15	10	0.3	0.3	0.3	0.3	0.405		B2	
XX 3622	16	2.5	0.3	0.3	0.3	0.3	0.108		B2	
XX 3522	16	3	0.3	0.3	0.3	0.3	0.13		B2	
XX 3039	18	3	0.5	0.5	0.5	0.5	0.145		B2	
XX 3675	20	2	0.3	0.3	0.3	0.3	0.108		B2	
XX 3032	20	3	0.3	0.3	0.3	0.3	0.162		B2	
XX 3709	20	4	0.4	0.4	0.4	0.4	0.216		B2	
XX 3532	20	4.2	0.3	0.3	0.3	0.3	0.227		B2	
XX 3710	20	5	0.3	0.3	0.3	0.3	0.27		B2	
XX 3623	20	6	0.3	0.3	0.3	0.3	0.324		B2	
XX 3527	20	8	0.3	0.3	0.3	0.3	0.432		B2	
XX 3625	20	9	0.3	0.3	0.3	0.3	0.486		B2	
XX 3728	20	10	0.3	0.3	0.3	0.3	0.54		B2	
XX 3528	20	15	0.3	0.3	0.3	0.3	0.81		B2	
XX 3536	25	2	0.3	0.3	0.3	0.3	0.135		B2	
XX 3676	25	3	0.3	0.3	0.3	0.3	0.203		B2	
XX 3534	25	4	0.2	0.2	0.2	0.2	0.27		B2	
XX 3535	25	5	0.3	0.3	0.3	0.3	0.338		B2	
ZE 0366	25	6	0.4	0.4	0.4	0.4	0.405		B2	
XX 3627	25	8	0.3	0.3	0.3	0.3	0.54		B2	
XX 3628	25	10	0.3	0.3	0.3	0.3	0.675		B1	
XX 3629	25	12	0.3	0.3	0.3	0.3	0.81		B2	
XX 3630	25	15	0.3	0.3	0.3	0.3	1.013		B1	
XX 3632	28	4	0.4	0.4	0.4	0.4	0.302		B2	
XX 3685	30	2	0.3	0.3	0.3	0.3	0.162		B1	
XX 3677	30	3	0.3	0.3	0.3	0.3	0.243		B2	
XX 3043	30	4	0.3	0.3	0.3	0.3	0.324		B2	
XX 3008	30	5	0.3	0.3	0.3	0.3	0.405		B2	
XX 3044	30	6	0.3	0.3	0.3	0.3	0.486		B2	
XX 3633	30	8	0.3	0.3	0.3	0.3	0.648		B2	
XX 3729	30	10	0.3	0.3	0.3	0.3	0.81		B2	
XX 3547	30	12	0.3	0.3	0.3	0.3	0.972		B2	
XX 3541	30	15	0.3	0.3	0.3	0.3	1.215		B2	
XX 3543	30	20	0.3	0.3	0.3	0.3	1.62		B2	
XX 3634	30	25	0.3	0.3	0.3	0.3	2.025		B2	
XX 3551	32	3	0.3	0.3	0.3	0.3	0.259		B2	
XX 3550	32	6	0.3	0.3	0.3	0.3	0.518		B2	
XX 3715	35	3	0.3	0.3	0.3	0.3	0.284		B2	




*備考の内容に関してはお問い合わせ下さい。

商品番号	A	T	R1	R2	R3	R4	単重	材質	外観	備考
XX 3635	35	5	0.3	0.3	0.3	0.3	0.473		B2	
XX 3085	40	2	0.3	0.3	0.3	0.3	0.216		A	
XX 3637	40	3	0.3	0.3	0.3	0.3	0.324		B2	
ZE 0475	40	4	0.4	0.4	0.4	0.4	0.432		B2	
XX 3027	40	5	0.3	0.3	0.3	0.3	0.54		B2	
XX 3640	40	6	0.3	0.3	0.3	0.3	0.648		B2	
XX 3641	40	8	0.3	0.3	0.3	0.3	0.864		B2	
XX 3674	40	10	0.3	0.3	0.3	0.3	1.094		B2	
XX 3643	40	15	0.3	0.3	0.3	0.3	1.62		B2	
XX 3644	40	20	0.3	0.3	0.3	0.3	2.16		B1	
XX 3646	40	30	0.3	0.3	0.3	0.3	3.24		B2	
XX 3647	41	1.5	0.3	0.3	0.3	0.3	0.166		B2	
XX 3648	45	10	1	1	1	1	1.196		B2	
XX 3649	46	2.5	0.5	0.5	0.5	0.5	0.31		ノーマル	
XX 3577	50	2	0.3	0.3	0.3	0.3	0.27		B2	
XX 3029	50	3	0.3	0.3	0.3	0.3	0.405		B1	
XX 3681	50	3	0.3	0.3	0.3	0.3	0.405		B2	
TR 0124	50	4	0.4	0.4	0.4	0.4	0.54		B2	
XX 3009	50	5	0.3	0.3	0.3	0.3	0.675		B2	
XX 3010	50	6	0.3	0.3	0.3	0.3	0.81		B2	
XX 3575	50	8	0.3	0.3	0.3	0.3	1.08		B2	
XX 3730	50	10	0.3	0.3	0.3	0.3	1.35		B2	
XX 3574	50	15	0.3	0.3	0.3	0.3	2.025		B2	
XX 3736	50	15	0.3	0.3	0.3	0.3	2.025		B2	
XX 3654	50	20	0.3	0.3	0.3	0.3	2.7		B1	
XX 3580	52	8	0.3	0.3	0.3	0.3	1.123		B2	
XX 3581	54	10	0.3	0.3	0.3	0.3	1.458		B2	
XX 3582	56	3	0.3	0.3	0.3	0.3	0.454		B2	
XX 3656	60	2	0.4	0.4	0.4	0.4	0.324		B2	
XX 3611	60	3	0.4	0.4	0.4	0.4	0.486		B2	
XX 3657	60	4	0.3	0.3	0.3	0.3	0.648		B2	
XX 3012	60	5	0.3	0.3	0.3	0.3	0.81		B2	
XX 3724	60	6	0.3	0.3	0.3	0.3	0.972		B2	
XX 3585	60	8	0.3	0.3	0.3	0.3	1.296		B2	
XX 3030	60	10	0.5	0.5	0.5	0.5	1.619		B2	
XX 3586	60	15	0.3	0.3	0.3	0.3	2.43		B2	
XX 3658	62	3	0.3	0.3	0.3	0.3	0.502		B2	
XX 3592	65	6	0.3	0.3	0.3	0.3	1.053		B2	
XX 3591	65	10	0.3	0.3	0.3	0.3	1.755		B2	
XX 3014	70	2	1	1	1	1	0.376		B2	
XX 3661	70	4	0.3	0.3	0.3	0.3	0.756		B2	
XX 3597	70	10	0.3	0.3	0.3	0.3	1.89		B2	
XX 3082	75	2	0.3	0.3	0.3	0.3	0.405		B2	
XX 3048	75	4	0.3	0.3	0.3	0.3	0.81		C	
ZE 0331	75	6	0.4	0.4	0.4	0.4	1.215		B2	
XX 3598	75	10	0.3	0.3	0.3	0.3	2.025		B2	
XX 3731	75	10	0.3	0.3	0.3	0.3	2.025		B2	
XX 3739	75	12	0.3	0.3	0.3	0.3	2.43		B2	
XX 3016	80	2	1	1	1	1	0.43		B2	
XX 3663	85	3	0.3	0.3	0.3	0.3	0.689		B2	
XX 3052	90	3	0.3	0.3	0.3	0.3	0.729		B2	
XX 3604	90	5	0.3	0.3	0.3	0.3	1.215		B2	
XX 3056	93	3	0.3	0.3	0.3	0.3	0.753		B	
XX 3606	100	3	0.3	0.3	0.3	0.3	0.81		B2	
XX 3607	100	5	0.3	0.3	0.3	0.3	1.35		B2	




*備考の内容に関してはお問い合わせ下さい。

商品番号	A	T	R1	R2	R3	R4	単重	材質	外観	備考
ZE 0477	100	6	0.4	0.4	0.4	0.4	1.62		B2	
XX 3605	100	8	0.3	0.3	0.3	0.3	2.16		B2	
ZE 0337	100	10	0.3	0.3	0.3	0.3	2.7		B2	
XX 3667	100	12	0.3	0.3	0.3	0.3	3.24		B2	
XX 3058	103	3	0.3	0.3	0.3	0.3	0.834		B	
XX 3669	110	4	0.3	0.3	0.3	0.3	1.188		B2	
XX 3608	110	6	0.3	0.3	0.3	0.3	1.782		B2	
XX 3060	111	4	0.3	0.3	0.3	0.3	1.199		B2	
XX 3670	123	3	0.3	0.3	0.3	0.3	0.996		B2	
XX 3671	135	6	0.3	0.3	0.3	0.3	2.187		B2	
XX 3064	151	3	0.3	0.3	0.3	0.3	1.223		B1	
XX 3672	188	3	0.3	0.3	0.3	0.3	1.523		ノーマル	




*備考の内容に関してはお問い合わせ下さい。


商品番号	A	B	T1	T2	R1	R2	R3	R4	R5	R6	単重	材質	外観	備考
XX 4556	12	8	1.5	1.5	0.3	0.3	0.3	0.3	0.3	0.3	0.075		B2	
XX 4502	12	12	1.2	1.2	0.3	0.3	0.3	0.3	0.3	0.3	0.074		B2	
XX 4667	15	10	1.5	1.5	0.3	0.3	0.3	0.3	0.3	0.3	0.095		B2	
XX 1009	15	10	2	2	0.3	0.3	0.3	0.3	0.3	0.3	0.124		ノーマーク	
XX 1003	15	12	1.8	1.8	0.3	0.3	0.3	0.3	0.3	0.3	0.122		B2	
ZE 0479	15	15	1	1	0.4	0.4	0.4	0.4	0.4	0.4	0.078		B2	
XX 4637	15	15	1.5	1.5	0.3	0.3	0.3	0.3	0.3	0.3	0.115		B2	
ZE 0483	15	15	2	2	0.4	0.4	0.4	0.4	0.4	0.4	0.151		B2	
XX 4505	15	15	3	3	0.3	0.3	0.3	0.3	0.3	0.3	0.219		B2	
XX 4560	18	15	1.8	1.8	0.3	0.3	0.3	0.3	0.3	0.3	0.152		B1	
XX 4508	19	19	0.8	0.8	0.3	0.3	0.3	0.3	0.3	0.3	0.08		B2	
XX 1053	19	19	1.2	1.2	0.3	0.3	0.3	0.3	0.3	0.3	0.119		B2	
ZE 0482	19	19	1.5	1.5	0.4	0.4	0.4	0.4	0.4	0.4	0.148		B2	
XX 1005	20	8	2	1.5	0.3	0.3	0.3	0.5	0.3	0.3	0.132		B2	
XX 1061	20	10	1.5	1.5	0.3	0.3	0.3	0.3	0.3	0.3	0.115		B2	
XX 1012	20	12	2	2	0.3	0.3	0.3	0.3	0.3	0.3	0.162		B2	
XX 4563	20	15	1.5	1.5	0.3	0.3	0.3	0.3	0.3	0.3	0.136		B2	
XX 4565	20	15	1.8	1.8	0.3	0.3	0.3	0.3	0.3	0.3	0.161		B2	
ZE 0284	20	15	2	2	0.4	0.4	0.4	0.4	0.4	0.4	0.178		B2	
XX 4567	20	20	1.2	1.2	0.4	0.4	0.4	0.4	0.4	0.4	0.127		B2	
XX 4665	20	20	1.5	1.5	1.5	0.75	0.3	0.3	0.3	0.75	0.157		B2	
XX 4568	20	20	2	2	0.3	0.3	0.3	0.3	0.3	0.3	0.205		B2	
XX 4627	20	20	3	3	0.4	0.4	0.4	0.4	0.4	0.4	0.3		B2	
XX 4000	22	22	2	2	0.3	0.3	0.3	0.3	0.3	0.3	0.227		B2	
XX 1027	25	8	1.5	1.5	0.3	0.3	0.3	0.3	0.3	0.3	0.127		B2	
XX 1515	25	10	1.5	1.5	0.3	0.3	0.3	0.3	0.3	0.3	0.136		B2	
XX 1063	25	15	1.5	1.5	0.3	0.3	0.3	0.3	0.3	0.3	0.156		B2	
XX 1516	25	15	2	2	0.3	0.3	0.3	0.3	0.3	0.3	0.205		B2	
XX 1518	25	16	1.2	1.2	0.3	0.3	0.3	0.3	0.3	0.3	0.129		A	
XX 4552	25	25	0.8	0.8	0.3	0.3	0.3	0.3	0.3	0.3	0.106		B2	
ZE 0481	25	25	1	1	0.4	0.4	0.4	0.4	0.4	0.4	0.132		B2	
XX 4032	25	25	1.5	1.5	0.3	0.3	0.3	0.3	0.3	0.3	0.196		B2	
XX 4517	25	25	1.9	1.9	0.3	0.3	0.3	0.3	0.3	0.3	0.247		B2	
XX 4550	25	25	2	2	0.3	0.3	0.3	0.3	0.3	0.3	0.259		B2	
ZE 0841	25	25	2.5	2.5	0.4	0.4	0.4	0.4	0.4	0.4	0.321		B2	
XX 1577	25	25	3	3	0.3	0.3	0.3	0.3	0.3	0.3	0.381		B2	
XX 4573	25	25	4	4	4	2	0.3	0.3	0.3	2	0.501		B2	
XX 1032	30	8	1.5	1.5	0.3	0.3	0.3	0.3	0.3	0.3	0.148		ノーマーク	
XX 1522	30	9	1.5	1.5	0.3	0.3	0.3	0.3	0.3	0.3	0.152		B2	
XX 1523	30	10	1.5	1.5	0.3	0.3	0.3	0.3	0.3	0.3	0.156		B2	
DA 2582	30	12	2	2	0.4	0.4	0.4	0.4	0.4	0.4	0.216		B2	
XX 4576	30	13	2	2	0.3	0.3	0.3	0.3	0.3	0.3	0.221		B2	
XX 1064	30	15	1.5	1.5	0.3	0.3	0.3	0.3	0.3	0.3	0.176		B2	
XX 1526	30	15	2	2	0.3	0.3	0.3	0.3	0.3	0.3	0.232		B2	
XX 4660	30	18	2	2	0.3	0.3	0.3	0.3	0.3	0.3	0.248		B2	
XX 1077	30	20	1.5	1.5	0.3	0.3	0.3	0.3	0.3	0.3	0.196		B2	
XX 1527	30	20	2	2	0.3	0.3	0.3	0.3	0.3	0.3	0.259		B2	
TR 0181	30	20	3	3	0.4	0.4	0.4	0.4	0.4	0.4	0.381		B2	
XX 1532	30	25	3	3	0.2	0.4	0.4	0.4	0.4	0.4	0.421		A	
XX 4551	30	30	0.8	0.8	0.3	0.3	0.3	0.3	0.3	0.3	0.128		B2	
XX 4014	30	30	1	1	0.3	0.3	0.3	0.3	0.3	0.3	0.159		ノーマーク	
XX 4011	30	30	1.2	1.2	0.3	0.3	0.3	0.3	0.3	0.3	0.191		B2	
XX 4033	30	30	1.5	1.5	0.3	0.3	0.3	0.3	0.3	0.3	0.237		B2	
XX 4013	30	30	2	2	0.3	0.3	0.3	0.3	0.3	0.3	0.313		B2	



*備考の内容に関してはお問い合わせ下さい。


商品番号	A	B	T1	T2	R1	R2	R3	R4	R5	R6	単重	材質	外観	備考
XX 4002	30	30	3	3	0.3	0.3	0.3	0.3	0.3	0.3	0.462		B2	
XX 4522	30	30	4	4	0.3	0.3	0.3	0.3	0.3	0.3	0.605		B2	
XX 4581	30	30	5	5	5	2.5	0.3	0.3	0.3	2.5	0.75		B2	
XX 1533	35	9	3	3	0.3	0.3	0.3	0.3	0.3	0.3	0.332		B2	
XX 1002	35	15	1.5	1.5	0.3	0.3	0.3	0.3	0.3	0.3	0.197		B2	
XX 1534	35	15	2	2	0.3	0.3	0.3	0.3	0.3	0.3	0.259		B2	
XX 1535	35	20	2	2	0.3	0.3	0.3	0.3	0.3	0.3	0.286		B2	
XX 4005	35	35	2	2	0.3	0.3	0.3	0.3	0.3	0.3	0.367		B2	
TR 0142	35	35	3	3	3	1.5	0.4	0.4	0.4	1.5	0.545		B2	
XX 4584	35	35	4	4	4	2	0.3	0.3	0.3	2	0.717		B2	
XX 1037	37	20	1.5	1.5	0.3	0.3	0.3	0.3	0.3	0.3	0.225		B2	
XX 4526	38	38	1.2	1.2	0.3	0.3	0.3	0.3	0.3	0.3	0.242		B2	
XX 1540	40	10	1.5	1.5	0.3	0.3	0.3	0.3	0.3	0.3	0.197		B2	
XX 1539	40	10	3	3	0.3	0.3	0.3	0.3	0.3	0.3	0.381		B2	
XX 1041	40	14	3	3	1	0.3	0.3	4	0.3	0.3	0.404		ノーマーク	
XX 1541	40	15	2	2	0.3	0.3	0.3	0.3	0.3	0.3	0.286		B2	
XX 1076	40	20	2	2	0.3	0.3	0.3	0.3	0.3	0.3	0.313		B2	
MP 0580	40	20	3	3	0.3	0.3	0.3	0.3	0.3	0.3	0.462		ノーマーク	
XX 1042	40	20	4	4	0.3	0.3	0.3	0.3	0.3	0.3	0.605		ノーマーク	
XX 4586	40	25	4	4	4	2	0.3	0.3	0.3	2	0.664		B1	
XX 1065	40	30	2	2	0.3	0.3	0.3	0.3	0.3	0.3	0.367		B2	
XX 1021	40	30	2.5	2.5	0.3	0.3	0.3	0.3	0.3	0.3	0.456		B2	
XX 4587	40	30	3	3	0.3	0.3	0.3	0.3	0.3	0.3	0.543		ノーマーク	
ZE 0837	40	30	4	4	0.5	4	0.4	0.5	0.4	4	0.694		B2	
XX 4530	40	40	2	2	0.3	0.3	0.3	0.3	0.3	0.3	0.421		B2	
XX 1573	40	40	3	3	0.3	0.3	0.3	0.3	0.3	0.3	0.624		B2	
XX 4659	40	40	4	4	0.3	0.3	0.3	0.3	0.3	0.3	0.821		B2	
XX 4592	40	40	5	5	0.3	2.5	0.5	0.5	0.5	2.5	1.005		B2	
XX 4593	40	40	6	6	6	3	0.3	0.3	0.3	3	1.209		B2	
TR 0867	50	13	3	3	0.4	0.4	0.4	0.4	0.4	0.4	0.486		B2	
XX 4655	50	20	2	2	0.3	0.3	0.3	0.3	0.3	0.3	0.367		B2	
XX 4595	50	25	1.2	1.2	0.3	0.3	0.3	0.3	0.3	0.3	0.239		B2	
XX 1066	50	25	2	2	0.3	0.3	0.3	0.3	0.3	0.3	0.394		B2	
XX 1550	50	25	3	3	0.3	0.3	0.3	0.3	0.3	0.3	0.583		B2	
XX 4597	50	30	3	3	0.3	0.3	0.3	0.3	0.3	0.3	0.624		B2	
TR 0374	50	30	4	4	0.4	0.4	0.4	0.4	0.4	0.4	0.821		B2	
XX 1552	50	35	4	4	0.3	0.3	0.3	0.3	0.3	0.3	0.875		B2	
XX 4599	50	40	5	5	5	2.5	0.2	0.2	0.2	2.5	1.155		B2	
XX 4534	50	50	1.3	1.3	0.3	0.3	0.3	0.3	0.3	0.3	0.348		B2	
TR 0866	50	50	3	3	0.4	0.4	0.4	0.4	0.4	0.4	0.786		B2	
XX 4601	50	50	4	4	4	2	0.3	0.3	0.3	2	1.041		B1	
TR 0151	50	50	5	5	5	2.5	0.4	0.4	0.4	2.5	1.29		B2	
XX 4603	50	50	6	6	6	3	0.4	0.4	0.4	3	1.533		B2	
XX 1554	53	6	2	2	0.3	0.3	0.3	0.3	0.3	0.3	0.308		B2	公差53±0.6
XX 1054	55	55	2	2	0.3	0.3	0.3	0.3	0.3	0.3	0.583		B2	
XX 4606	60	15	1.8	1.8	0.3	0.9	0.9	1	0.9	0.9	0.353		B2	
XX 4607	60	40	5	5	0.3	2.5	0.5	0.5	0.5	2.5	1.275		B2	
XX 4608	60	45	5	5	0.3	2.5	0.3	0.3	0.3	2.5	1.343		B2	
XX 1052	60	60	2	2	0.3	0.3	0.3	0.3	0.3	0.3	0.637		B2	
XX 4540	60	60	5	5	0.3	0.3	0.3	0.3	0.3	0.3	1.553		B2	
XX 4609	60	60	6	6	6	3	0.3	0.3	0.3	3	1.857		B2	
XX 4611	65	40	4	4	0.3	0.3	0.3	0.3	0.3	0.3	1.091		B2	
XX 4612	65	50	5	5	5	2.5	0.3	0.3	0.3	2.5	1.492		B2	
XX 4613	65	65	6	6	6	3	0.3	0.3	0.3	3	2.019		B2	

P9




*備考の内容に関してはお問い合わせ下さい。

商品番号	A	B	T1	T2	R1	R2	R3	R4	単重	材質	外観	備考
XX 0073	14	10	0.7	0.7	0.3	0.3	0.3	0.3	0.085		B1	
XX 0068	15	10	0.8	0.8	0.5	0.5	0.3	0.3	0.1		B1	
XX 0041	15	10	1.2	1.2	0.3	0.3	0.3	0.3	0.146		B2	
XX 0043	18	12	1.2	1.2	0.3	0.3	0.3	0.3	0.179		B2	
XX 0502	20	10	1.2	1.2	0.3	0.3	0.3	0.3	0.179		B2	
XX 0050	20	15	1.5	1.5	0.3	0.3	0.3	0.3	0.259		B2	
XX 0057	20	15	1.5	1.5	2	2	1	1	0.252		B1	
XX 0027	25	10	1.5	1.5	0.3	0.3	0.3	0.3	0.259		B1	
XX 0562	25	12	1.2	1.2	1	1	0.3	0.3	0.222		B2	
XX 0586	25	15	1.5	1.5	0.3	0.3	0.3	0.3	0.3		B1	
XX 0013	25	15	1.8	1.8	0.3	0.3	0.3	0.3	0.354		B	
XX 0505	25	20	2	2	0.3	0.3	0.3	0.3	0.443		B2	
XX 0077	30	9	1	1	1	1	0.3	0.3	0.197		B2	
TF 5537	30	10	1.2	1.2	0.4	0.4	0.4	0.4	0.244		B1	
XX 0042	30	10	1.5	1.5	0.3	0.3	0.3	0.3	0.3		B2	
XX 0598	30	10	2	2	0.3	0.3	0.3	0.3	0.389		B2	
XX 0052	30	15	1.5	1.5	0.3	0.3	0.3	0.3	0.34		B2	
XX 0014	30	15	1.8	1.8	0.3	0.3	0.3	0.3	0.402		B1	
XX 0508	30	15	2	2	0.3	0.3	0.3	0.3	0.443		B2	
XX 0612	30	20	1.5	1.5	0.3	0.3	0.3	0.3	0.381		B2	
XX 0007	30	20	1.8	1.8	0.3	0.3	0.3	0.3	0.451		B1	
XX 0564	30	20	2	2	0.3	0.3	0.3	0.3	0.497		B2	
XX 0509	30	20	4	4	0.3	0.3	0.3	0.3	0.907		B2	
XX 0510	30	25	3.5	3.5	0.3	0.3	0.3	0.3	0.907		B1	
XX 0549	30	50	1.8	1.8	0.5	2	2	2	0.747		B2	
XX 0565	35	23.5	2	2	0.3	0.3	0.3	0.3	0.589		B2	
XX 0566	35	27.5	2	2	0.3	0.3	0.3	0.3	0.632		B2	
XX 0006	35	30	1.5	1.5	1	1	1	1	0.502		B1	
XX 0029	40	10	2	2	0.3	0.3	0.3	0.3	0.497		B1	
XX 0001	40	15	2	2	0.3	0.3	0.3	0.3	0.551		B1	
XX 0516	40	20	1.2	1.2	0.3	0.3	0.3	0.3	0.373		B2	
XX 0587	40	20	1.5	1.5	0.3	0.3	0.3	0.3	0.462		B2	
XX 0015	40	20	1.8	1.8	0.3	0.3	0.3	0.3	0.548		B2	
XX 0585	40	20	2	2	0.3	0.3	0.3	0.3	0.605		B1	
XX 0567	40	20	2.5	2.5	0.3	0.3	0.3	0.3	0.743		B2	
XX 0568	40	23	2.5	2.5	0.3	0.3	0.3	0.3	0.783		B2	
XX 0553	40	24	2	2	0.3	0.3	1	1	0.65		B2	
XX 0031	40	25	2	2	1	1	1	1	0.659		B1	
XX 0592	40	25	2	2	0.3	0.3	0.3	0.3	0.659		B2	
XX 0613	40	30	1.5	1.5	0.3	0.3	0.3	0.3	0.543		B2	
XX 0521	40	30	2	2	0.4	0.4	0.4	0.4	0.713		B2	
XX 0522	45	20	1.5	1.5	0.3	0.3	0.3	0.3	0.502		B2	
XX 0076	50	25	1.2	1.2	0.3	0.3	0.3	0.3	0.47		B1	
XX 0571	50	25	1.5	1.5	0.3	0.3	0.3	0.3	0.583		B2	
XX 0588	50	25	2	2	0.3	0.3	0.3	0.3	0.767		B1	
XX 0525	50	30	1.8	1.8	0.3	0.3	0.3	0.3	0.743		B2	
XX 0623	50	25	3	3	0.3	0.3	0.3	0.3	1.118		C	
XX 0526	50	30	2	2	0.3	0.3	0.3	0.3	0.821		B2	
XX 0572	50	35	3	3	0.3	0.3	0.3	0.3	1.28		B2	
XX 0065	55	12	1	1	0.5	0.5	0.5	0.5	0.351		B1	
XX 0573	60	20	1.5	1.5	0.4	0.4	0.4	0.4	0.624		B1	




不等边角管




*備考の内容に関してはお問い合わせ下さい。


商品番号	A	T	R1	R2	単重	材質	外観	備考
XX 5501	9	1.2	0.3	0.3	0.101		B1	
XX 5502	10	1	0.3	0.3	0.097		B1	
XX 5527	10	1.1	0.5	0.3	0.105		B2	
XX 5577	12	1.2	0.3	0.3	0.14		B2	
XX 5503	15	1.2	0.3	0.3	0.179		B2	
XX 5546	15	1.5	0.3	0.3	0.219		B1	
XX 5504	16	1	0.3	0.3	0.162		B2	
XX 5505	17	1.5	0.3	0.3	0.251		B1	
XX 5580	19	1.2	0.3	0.5	0.231		B2	
XX 5507	19	1.5	0.3	0.3	0.284		B2	
XX 5031	20	1.5	0.3	0.3	0.3		B1	
XX 5556	20	2	0.3	0.3	0.389		B2	
XX 5550	25	1.5	0.3	0.3	0.381		B2	
XX 5012	25	2	0.3	0.3	0.497		B1	
XX 5528	25	2	2	2	0.497		B2	
XX 5578	28	2.2	2.5	2	0.608		B2	
XX 5044	30	1.1	0.3	0.3	0.343		B1	
XX 5531	30	1.2	0.5	0.3	0.373		B2	
XX 5032	30	1.5	0.3	0.3	0.462		B1	
XX 5005	30	2	0.3	0.3	0.605		B1	
XX 5573	30	3	0.4	0.4	0.875		B1	
XX 5514	35	2	0.3	0.3	0.713		B2	
XX 5534	40	1.5	1	0.5	0.622		B2	
XX 5558	40	2	0.3	0.3	0.821		B1	
XX 5535	40	2.5	0.3	0.3	1.013		B2	
XX 5517	40	3	0.3	0.3	1.199		B2	
XX 5033	45	2	0.3	0.3	0.929		B1	
XX 5006	50	2	0.3	0.3	1.037		B1	
ZE 0493	50	2.5	0.4	0.4	1.283		B2	
XX 5575	50	3	0.3	0.3	1.523		B2	
XX 5004	60	1.2	1.5	0.3	0.757		B1	
XX 5045	60	1.5	1.5	0.3	0.943		B1	
XX 5553	60	2	0.3	0.3	1.253		B2	
XX 5540	60	2.5	0.3	0.3	1.553		B2	
XX 5015	60	3	1	1	1.847		B1	
XX 5034	65	2	0.3	0.3	1.361		B1	
XX 5523	70	2	0.3	0.3	1.469		B2	
XX 5554	75	2	0.3	0.3	1.577		B2	
XX 5008	75	2	1	0.3	1.574		B1	
XX 5524	75	2.5	0.3	0.3	1.958		B2	
XX 5576	75	5	0.3	0.3	3.78		B2	
XX 5525	80	2	0.3	0.3	1.685		B1	
XX 5526	80	2.5	0.3	0.3	2.093		B2	
XX 5545	90	2.5	0.3	0.3	2.363		ノーマーク	
XX 5555	100	2	0.3	0.3	2.117		B2	
XX 5040	100	2.7	3	0.3	2.816		B1	
XX 5035	100	3	0.3	0.3	3.143		B1	
XX 5584	100	6	5	1	6.036		C	
XX 5582	100	10	5	0.3	9.662		C	
XX 5019	110	2	2	1	2.326		B1	
XX 5581	150	3	0.3	0.3	4.763		B1	
XX 5583	150	9	4	0.3	13.67		C	
XX 5585	200	10	2	2	20.52		B2	




*備考の内容に関してはお問い合わせ下さい。


商品番号	OD	ID	T	単重	材質	外観	備考
XX 2602	10	8	1	0.076		B2	
XX 2603	12	10	1	0.093		B2	
XX 2506	13	10	1.5	0.146		B2	
XX 2605	14	11	1.5	0.159		B2	
XX 2606	14	12	1	0.11		B2	
XX 2512	16	5	5.5	0.49		B2	
ZE 0511	16	13.6	1.2	0.151		B2	
XX 2048	16	14	1	0.127		B2	
XX 2664	18	14	2	0.271		B1	
XX 2022	18	15.6	1.2	0.171		ノーマル	
XX 2644	18	16	1	0.144		B2	
XX 2611	19	15	2	0.289		B2	
XX 2639	19	16	1.5	0.223		B2	
XX 2636	19	16.6	1.2	0.181		B2	
XX 2514	19	17	1	0.153		B2	
XX 2521	20	14	3	0.433		B2	
XX 2062	20	15	2.5	0.371		B1	
XX 2519	20	16	2	0.305		B2	
XX 2049	20	18	1	0.161		B1	
ZA 9999	21	19	1	0.17		B2	
XX 2613	22	18	2	0.34		B2	
XX 2026	22	18.8	1.6	0.277		B1	
XX 2614	22	19.4	1.3	0.228		B2	
XX 2025	22	20	1	0.178		B2	
XX 2532	25	19	3	0.56		B2	
XX 2531	25	20	2.5	0.478		C	
XX 2016	25	21	2	0.39		B1	
XX 2037	25	21.6	1.7	0.336		B1	
XX 2529	25	22	1.5	0.299		B2	
XX 2527	25	22.6	1.2	0.242		C	
XX 2641	25	23	1	0.203		B2	
XX 2535	28	23.4	2.3	0.501		C	
XX 2534	28	24	2	0.443		B2	
XX 2043	28	26	1	0.229		B2	
XX 2542	30	23	3.5	0.788		B2	
XX 2540	30	25	2.5	0.583		B2	
XX 2023	30	26	2	0.475		B1	
XX 2653	30	27	1.5	0.363		B1	
XX 2618	30	27.6	1.2	0.293		B2	
XX 2538	30	28	1	0.246		B2	
XX 2066	31	29	1	0.254		B1	
XX 2638	32	26	3	0.738		B2	
XX 2543	32	28	2	0.51		B2	
XX 2546	34	30	2	0.556		B2	
XX 2061	34	31.6	1.2	0.334		B1	
XX 2553	35	28	3.5	0.935		B2	
XX 2552	35	29	3	0.815		B2	
XX 2551	35	31	2	0.56		B2	
XX 2556	38	34	2	0.61		B2	


丸パイプ


丸棒



商品番号	A	B	T1	T2	R1	R2	R3	R4	単重	材質	外観	備考
XX 7514	7.5	25	1	1	0.3	0.3	0.3	0.3	0.15		B2	
XX 7529	8.5	10	1	1	0.3	0.3	0.3	0.3	0.072		B2	
XX 7515	8.5	20	1.5	1.5	0.3	0.3	0.3	0.3	0.184		B2	
XX 7502	10	10	1	1	0.3	0.3	0.3	0.3	0.076		B2	
ZE 0488	10	10	1.6	1.6	0.4	0.4	0.4	0.4	0.116		B2	
XX 7516	10	13	1	1	0.3	0.3	0.3	0.3	0.092		B2	
XX 7565	10	15	1	1	0.3	0.5	0.3	0.3	0.103		B2	
XX 7517	10	15	1.2	1.2	0.3	0.3	0.3	0.3	0.122		B2	
ZE 0486	10	15	1.5	1.5	0.4	0.4	0.4	0.4	0.15		B2	
XX 7527	12	10	1	1	0.3	0.3	0.3	0.3	0.081		B2	
XX 7609	12	12	2	2	0.3	0.3	0.3	0.3	0.173		B2	
XX 7504	13	13	1	1	0.3	0.3	0.3	0.3	0.1		B2	
XX 7513	14	10	1	1	0.3	0.3	0.3	0.3	0.086		B2	
XX 7520	14	11	1	1	0.3	0.3	0.3	0.3	0.092		B2	
XX 7613	15	15	2	2	0.3	0.3	0.3	0.3	0.221		B2	
XX 7522	15	20	1	1	0.3	0.3	0.3	0.3	0.143		C	
XX 7501	15	24	1.5	1.5	0.3	0.3	0.3	0.3	0.243		B2	
XX 7524	17	12	1	1	0.3	0.3	0.3	0.3	0.105		B2	
XX 7526	18	10	2	2	0.3	0.3	0.3	0.3	0.184		B2	
XX 7005	18	12	1	1	0.3	0.3	0.3	0.3	0.108		B2	
XX 7001	18	13	2	1.5	0.3	0.3	0.3	0.3	0.186		B2	
XX 7530	20	5.2	1.5	1.2	0.3	0.3	0.3	0.3	0.105		B2	
XX 7618	20	20	2	2	0.3	0.3	0.3	0.3	0.302		B2	
XX 7608	22	12	2	2	0.3	0.3	0.3	0.3	0.227		B2	
XX 7519	22	13	1	1	0.3	0.3	0.3	0.3	0.124		B2	
XX 7505	24	10	1.5	1.5	0.3	0.3	0.3	0.3	0.166		B2	
XX 7588	25	15	1.2	1.2	0.4	0.4	0.4	0.4	0.17		B1	
XX 7535	25	15	2	2	0.3	0.3	0.3	0.3	0.275		B2	
XX 7030	25	25	2	2	0.3	0.3	0.3	0.3	0.383		B2	
XX 7591	28	28	2	2	0.3	0.3	0.3	0.3	0.432		B2	
XX 7538	30	10	2	2	0.3	0.3	0.3	0.3	0.248		B2	
XX 7614	30	15	2	2	0.3	0.3	0.3	0.3	0.302		B2	
XX 7011	30	30	2	2	1	1	1	1	0.462		B1	
XX 7509	30	30	2.4	2.4	0.3	0.3	0.3	0.3	0.552		B2	
XX 7531	35	20	2	2	0.3	0.3	0.3	0.3	0.383		B2	
XX 7542	35	20	2.4	2.4	0.3	0.3	0.3	0.3	0.456		B2	
XX 7012	35	30	2	2	1	1	1	1	0.489		B	
XX 7503	38	20	1.9	1.9	0.3	0.3	0.3	0.3	0.381		B2	
ZE 0487	40	20	1.5	1.5	0.3	0.3	0.3	0.3	0.312		B2	
XX 7051	40	20	1.8	1.8	0.3	0.3	0.3	0.3	0.371		B2	
XX 7004	40	20	2	2	0.3	0.3	0.3	0.3	0.41		B2	
XX 7545	40	20	3	3	0.3	0.3	0.3	0.3	0.599		B2	
XX 7013	40	60	6	6	1	0.5	0.5	0.5	2.398		B2	
XX 7580	43	20	1.5	1.5	0.3	0.3	1	0.3	0.324		B2	
XX 7547	45	8	3	6	0.3	0.3	0.3	0.3	0.527		B2	
XX 7018	50	15	2	2	0.3	0.3	0.3	0.3	0.41		B2	
XX 7550	50	20	1	1	0.3	0.3	0.3	0.3	0.238		B2	
XX 7017	50	20	2	2	0.4	0.4	0.4	0.4	0.464		B2	
ZE 0491	50	25	3	3	0.4	0.4	0.4	0.4	0.761		B2	
XX 7603	50	30	3	3	3	1.5	0.3	0.3	0.85		B2	
XX 7604	51	25	2	2	0.3	0.3	0.3	0.3	0.524		B2	
XX 7040	51	70	3	3	0.3	0.3	0.3	0.3	1.499		B2	
XX 7623	60	30	3	3	0.3	0.3	0.3	0.3	0.923		B2	
XX 7605	60	30	4	4	4	2	0.4	0.4	1.224		B2	





[illegible]

[illegible]

